

Nov the 21st 1862

Ran the following line & made the following corner in Section 25 Town 10 Rang 1 West for John Martin & William A Anderson commenced at the Eastern 1/2 Mile Stake of Witnesses gone new one made equa distant between the Section corner Buck 19 inches N⁶⁸°W 6 links dist Buck 12 inches in diameter S⁶⁷°E 25 1/2 links dist thence S⁸⁵°W 79 poles 15 links Witness Water Oak 30 inches in diameter S⁸²°W 3 1/4 links dist Water Oak 25 inches in diameter N⁷⁷°E 68 links dist thence S⁶°E 159 poles + 13 links to corner Made before Chas Barers Jackson Huntz & Jasper A Gore sworn
 fees \$3.50 Martin \$1.50 paid
 Anderson \$2.25 paid

J S Buskirk M. C. S

December the 16th 1862

Ran the following line & made the following corner in Section 27 T 9 R 1 W for Lankston Brunet & Mathew Robertson commenced at the South East corner Old witness gone new one made Buck 20 inches in Diam S³²°W 17 links dist Sugar 18 inches in Diam S⁷²°E 29 lks dist thence N⁵°W 157 poles + 20 links to the Eastern 1/2 Mile Stake stone planted before Chas Barers Lankston Brunet & Mathew Robertson by consent fees \$1.50
 L Brunet \$75 paid
 M Robertson \$75 paid

J. S. Buskirk M. C. S

December the 23rd 1862

Ran the following lines and made the following corners in Section 20 Township 9 Rang 1 East for John W Galyan and Anna Mefford commenced at the North West corner Ran N⁸⁶°E 80 poles corner made & stone planted Witness Lignum 35 inches in diam S⁸⁸°E 10 1/2 links Buck 20 inches in diam N⁶⁸°W 33 links dist thence S⁵°E 238 poles + 23 links corner made & stone planted Witness Buck 15 inches in diam N⁴⁵°E 14 links Dogwood 3 inches in diam S³²°E 17 1/2 links dist
 Chas Barers Anna Mefford & George W Galyan by consent
 fees \$3.00 J W Galyan \$1.50 paid
 Anna Mefford \$1.50 paid

J S Buskirk M. C. S

Nov the 21st 1862

Ran the following lines & made the following corners in Section 25 Town 10 Rang 1 West for John Martin & William N Anderson commenced at the Eastern $\frac{1}{2}$ Mile Stake of Witnesses gone new ones made equa distant between the Section corners Buck 18 inches N⁶°W 6 links dist Buck 12 inches in diameter S⁶¹°E 25 $\frac{1}{2}$ links dist thence S 85 $\frac{1}{2}$ °W 79 poles 15 links Witness Water Oak 30 inches in diameter S 21 $\frac{1}{2}$ °W 31 $\frac{3}{4}$ links dist Water Oak 25 inches in diameter N 79°E 68 links dist thence S⁵°E 159 poles & 13 links to corner made before Chas Barers Jackson Huntz & Jasper N bore sworn fees \$3.50 Martin \$1.50 paid Anderson \$2.25 paid

J S Buskirk M. C. S

December the 16th 1862

Ran the following line & made the following corner in Section 27 T⁹ R 1 W for Lankston Brunet & Matthew Robertson commenced at the South East corner Old witness gone new one made Buck 20 inches in Diam S 32°W 17 links dist Sugar 18 inches in Diam S 72°E 29 lps dist thence N 5°W 157 poles & 20 links to the Eastern $\frac{1}{2}$ Mile Stake stone planted before Chas Barers Lankston Brunet & Matthew Robertson by consent fees \$1.50 L Brunet \$75 paid M Robinson \$75 paid

J. S. Buskirk M. C. S

December the 23rd 1862

Ran the following lines and made the following corners in Section 20 Township 9 Rang 1 East for John W Galyan and Anna Mefford commenced at the North West corner Ran N 86°E 80 poles corner made & stone planted Witness Lignum 35 inches in diam S 58°E 10 $\frac{1}{2}$ links Buck 20 inches in diam N 68°W 33 links dist thence S⁵°E 238 poles & 23 links corner made & stone planted Witness Buck 15 inches in diam N 41°E 14 links Dogwood 3 inches in diam S 32°E 17 $\frac{1}{2}$ links dist Chas Barers Anna Mefford & George W Galyan by consent fees \$3.00 J W Galyan \$1.50 paid Anna Mefford \$1.50 paid

J S Buskirk M. C. S

December 31st 1879 + Jan 1st 1880

Surveyed for Wm. H. Galvan, C. Sluss, Wm. C. Parkes
Emanuel Myers and others in Sec 20 T 9 N R 1 E commencing
at the South-West corner of Sec. 20 Town 9 North
Range 1 East at a corner heretofore established
then ran with the section line east thirty nine
poles (39) and 22 $\frac{3}{4}$ links corner made & Stone planted
marked with a + witnessed by Sycamore 11 S 45 E 318 $\frac{1}{4}$ links
Black walnut 4 S 2 W 224 " "

thence east with the Sec. line 39 poles and 22 $\frac{3}{4}$ links
corner made & Stone planted ^{marked with a +} witnessed by
a Black walnut 2 inches in diameter South 68 $\frac{1}{2}$ East
100 links dot. and a Black Walnut $\frac{1}{2}$ inches in diameter
South 70 $^{\circ}$ West 65 $\frac{1}{4}$ links dot. thence east with the Section
line to 79 poles and 20 $\frac{5}{8}$ links to the South $\frac{1}{2}$ N. corner of
Sec 20 it being established heretofore. corner made and
Stone planted marked with a + 11 poles and 12 links
west of South $\frac{1}{2}$ N. P. of Sec 20 witnessed by Sycamore 8 S 71 E 55 $\frac{3}{8}$
N E line 3 N 65 E 80 $\frac{1}{2}$

+ this line ran on a variation of about 4 $\frac{1}{2}$


A. B. Galvan) Chairman by consent Sworn
Wm. C. Parkes)

Chas. G. Sluss Blagman Sworn by consent
Geo. W. Vanroy
M. C. S.

The above Survey was made in compliance
with the following notice

Notice is hereby given to
Killian Droll, Lavina Richeson, Joseph A. Robertson
Russel Asher, Catharine Sluss, Wm. H. Galvan
Wm. C. Parkes and John W. Galvan that I will
proceed together with the County Surveyor
to run locate, establish and perpetuate all
lines and corners necessary in Sec. 20 Town 9 North
Range 1 East on the 31st day of December 1879
Said Survey to continue from day to day until
completed, and to meet at the House of
Emanuel Myers, said Survey to commence between
the hours of 8 & 12 A M of said day
this Dec 20th 1879 Emanuel Myers

Survey of Section 20 T. 9 R. 1 E



H

FIELD NOTES.


Witness Trees	Inches in Diameter	Bearings	Distances in Links	Witness Trees	Inches in Diameter	Bearings	Distances in Links
A { Oak	2	S 47° W	50				
Poplar	6	S 51½° E	53½				
B { Beech	18	S 32° W	2½				
Maple	7	S 72° E	27½				
C { Oak	8	S 46½° E	36½				
Oak	11	S 1° W	36½				
D { Oak	24	S 66° E	3				
Oak	22	N 46½° W	11				
E { Sycamore	24	N 87° E	61				
Sycamore	2	N 85° W	43½				
F { Oak	7	S 42° E	14½				
Oak	4	N 89° W	24½				
G { Walnut	11	N 52° W	69½				
Beech	10	S 8° W	68				
H { Sycamore	11	N 84½° E	94				
Walnut	20	N 32° E	33				

Legal notice
I being
Surveyor
Michael
we then
on sec 20
a stone at the
and the 4
poplar 10
by beech 15
in 18
Wood 10
the 10
166
W of the
66
W of E
at 11
some of
beech 10
1 W corner
at 11
8
about report
only believe
hand and


May 17
1907

Legal notice having been given to Cornelius Meadows, John A. Brane, Lawrence Curry, John Prince, and William Galyan I met at appointed time and place and organized by qualifying William Galyan Michael Bourk chairman James Gallyan flagman we then proceeded to make the following survey in sec. 20 T 9 R 1 E as per plat and notes, established a stone at the $\frac{1}{2}$ distance between the center of the S.W. qr. and the $\frac{1}{4}$ m.p. witnessed by, W oak 2 in S 47° W 60 lbs poplar 6 in S $51\frac{1}{2}^{\circ}$ E $53\frac{1}{2}$ lbs, "B" is 39 rds 4 lbs. E. of A witnessed by beech 18 in S 32° W $2\frac{1}{2}$ lbs, maple 7 in S 72° E 274 lbs C is 38 rds 16 lbs E of B witnessed by, W oak 8 in S $46\frac{1}{2}^{\circ}$ E $36\frac{1}{2}$ lbs W oak 11 in S 1° W 36 lbs "D" is 4 rds W. of the $\frac{1}{2}$ distance between the $\frac{1}{2}$ m.p. and the center witnessed by, R oak 24 in S 66° E 3 lbs, R oak 22 in N $45\frac{1}{2}^{\circ}$ W 11 lbs E is 11 rds 12 lbs W. of the $\frac{1}{2}$ m.p. witnessed by, eyeamore 24 in N 87° E 61 lbs, eyeamore 2 in N 85° W $43\frac{1}{2}$ lbs, "F" is $36\frac{2}{3}$ rds W of "E" witnessed by, B oak 7 in S 42° E $14\frac{1}{2}$ lbs B oak 4 in N 89° W $24\frac{1}{2}$ lbs G is $76\frac{2}{3}$ rds E and 6 rds S. of the S.W. corner of section witnessed by, B walnut 11 in N 52° W 69 lbs beech 10 in S 8° W 68 lbs, "H" is 40 rds E and 19 rds S. of S.W. corner of said section witnessed by eyeamore 11 in N $84\frac{1}{2}^{\circ}$ E 94 lbs, W walnut 20 in N 32° E 33 lbs I hereby certify the foregoing to be a true and correct report of the survey made by me as I verily believe I am witness whereof I attach my hand and seal

C. M. Bowers.



Sections 20 & 21 T 9 N R 1 E
 February the 17th, 18th, 19th, 21st, 22nd, 23rd and 24th 1870 Surveyed for
 Joseph W Galy, Joseph Robison, John F. Robison, J. Richardson, St
 Richardson, C. Stuss, et Mefford, J W Galyan, W H Galyan, J Cox
 J. Alexander, H. Droll. A. Wheeler J Cox J Stevens and
 M J Mead in sections 20 & 21 T 9 N R 1 East corners
 established and lettered as per plat and field notes below



A Lyn 13 N 2° E 63½
 Buckeye 9 S 88° W 32

B Beech 16 S 51½° W 43
 Gum 20 N 26° W 26

C Sand Stone marked
 S, C, N, E, 20 witnessed by
 Beech 14 S 70½° W 22¾
 Beech 12 S 12° W 14

D Sand Stone marked C, R, on
 the north and J, R, on the South
 Witness Beech 18 N 30½° W 95
 Black Walnut 3 N 3½° W 41

E Sand Stone marked with
 R on each side witnessed
 by Sugar 20 N 64° E 37½
 Water Beech 6 S 40° E 8

P Sand Stone marked on the
 north with R and South E & R
 witness Beech 15 N 7½° W 32½
 Sugar 14 N 42° E 34

G Sand Stone marked E & S on the
 west and R & S on the east
 witnessed by Red Oak 7 N 22° W 11
 Red Oak 6 S 46½° W 13½

H Stake in the bed of the creek
 witness Black Walnut 9 S 63° W 110
 Buckeye 16 S 51° E 110

I Sand Stone marked S, C.
 witness Red Oak 1 S 49½° E 66½
 White Oak 2 N 34° E 29

J Sand Stone marked **E** & **S** on the east and **M** & **E** on the west
Witness Red Oak 6 S 86° W 99
Red Oak 7 N 63° W 131

O Sand Stone marked **F** on the east and **R** & **R** on the west
Witness Hickory 5 N 63° W 45
Red Oak 7 N 56½° W 101¾

K Sand Stone marked **M** on the west and **S** & **D** on the east
Witness Beech 20 S 81° W 27
Beech 18 N 41° E 43

P Sand Stone marked **R** on the South and **R** & **F** on the north
Witness Beech 12 N 10° E 22½
Red Oak 4 S 2° E 9

L Sand Stone marked **R** & **D** on the north and **S** & **R** on the South
Witness White Oak 12 S 23° E 25
White Oak 11 N 66° W 23

Q Sand Stone marked **R** on the north and **R** & **C** on the South
Witness 20 N 86° W 46½ (Beech)
Maple 24 S 43° E 34½

M Sand Stone marked **E** on the South and **R** & **S** on the north
Witness Poplar 12 N 47° W 41
Red Oak 7 S 12° E 42

R Sand Stone marked **"CR"** **"JR"** **"JER"** & **"JR"** on top of rock
Witness White Oak 39 N 37½° E
Grey Ash 36 N 75° E

N Sand Stone marked **X**
Witness Poplar 15 S 14° E 23
Beech 3 N 26° E 17

S. Oak Hickory 7 inches in diameter corner tree marked with a notch on the east and west sides witnessed by Black Walnut 13 N 32° E 33½
Black Walnut 4 S 9° W 14

Length of line between Sections 20 & 21 318 P. 2 links
Length to center of said line 159 P. 1 link

Length of line from **H** to **B** 318 P 1½ links
Length of line from **H** to **J** 79 P 12½ links

Length of line from N½ mile post to S½ mile post Sec 21, 317. 9 P links

The above survey was done in compliance with the following advertisement which was advertised in the "Bloomington Progress" a weekly newspaper published at Bloomington Indiana and which I hereby certify is a true copy in ^{witness} whereof I hereunto have set my hand and official seal.

M. H. Buskirk M. C. S.
(Turn over)